

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A combination eyeglass and auxiliary lens attachments selectively mountable thereon, comprising:

(a) an eyeglass frame having a pair of lenses mounted therein;

(b) auxiliary lenses;

(c) a "first set" of magnetic mounts (~~"set" for purposes of this invention, meaning a series of mountable magnets and "first set" meaning a user's choice of magnet quantity ranging from 4 to 6 per lens~~) attachable to the eyeglass frame, the first set including at least four magnet mounts for each of the lenses of the eyeglass frame;

(d) a second "complimentary set" of magnetic mounts (~~"complementary set" for purposes of this invention, meaning an quantity of magnets equal to that selected in user's "first set" and having opposite poles such that for every magnet in the "first set" having a negative charge, it is paired with a magnet in the "complimentary set" having a positive charge; and, for magnets in the "first set" having a positive charge, the "complementary set" will include a magnet with a negative charge~~) attachable to the outer edges of the auxiliary lenses corresponding to the placement of the magnets attached to the eyeglass frame, the complimentary set including the same number of magnetic mounts as the first set, with each of the magnet mounts in the complimentary set having an opposite magnetic pole as compared with the magnetic pole for the counterpart magnetic pole of the first set.

2. (Original) A combination eyeglass and auxiliary lens attachments as defined in claim 1, wherein said both sets of magnetic mounts are permanently affixed to the eyeglass frame and outer edges of the auxiliary lenses respectively.

3. (Currently Amended) A combination eyeglass and auxiliary lens attachments as ~~defined in claim 1,~~ selectively mountable thereon, comprising:

an eyeglass frame having a pair of lenses mounted therein;

auxiliary lenses;

a first set of magnetic mounts attachable to the eyeglass frame;

a second complementary set of magnetic mounts attachable to the outer edges of the auxiliary lenses corresponding to the placement of the magnets attached to the eyeglass frame,

wherein the auxiliary lenses house electronic optical display systems.

4. (Currently Amended) A combination eyeglass and auxiliary lens attachments as defined in claim 3, wherein the eyeglass frame is also wired for voice input and output and ~~or Internet connectivity and or an electrical circuit connected an LCD panel with a backlight and display component and or a mirror capable of reflecting and or splitting images generated on the LCD panel and directing them into the eye of the user.~~

5. (Currently Amended) A combination eyeglass and auxiliary lens attachments as defined in claim 3, wherein (a) the magnetic mounts are incrementally adjustable to accommodate the user's specific optical requirements ~~with respect to miniscule calibrations of the auxiliary lens and or display system angle, pitch, roll and yaw; and~~

~~(b) said magnetic mounts, provide an automatic "default" setting to which the combination eyeglass and auxiliary lens attachments are drawn when placed in proximity to each other in the approximate position in which they were contemplated to attach.~~

6. (Currently Amended) A combination eyeglass and auxiliary lens attachments as defined in claim 3, wherein at least one of the magnet mounts is Magnetic-mount attachments comprising a "first set" and "complimentary set" which when either attached or detached from each other as sets, are capable of activating and deactivating a battery-cell-powered electronic battery cell that serves to power the display system via a magnetic on/off switch.

7. (New) A combination eyeglass and auxiliary lens attachments as defined in claim 3, wherein the magnetic mounts provide an automatic "default" setting to which the combination eyeglass and auxiliary lens attachments are drawn when placed in proximity to each other in the approximate position in which they were contemplated to attach.

8. (New) A combination eyeglass and auxiliary lens attachments as defined in claim 3, wherein said both sets of magnetic mounts are permanently affixed to the eyeglass frame and outer edges of the auxiliary lenses respectively.

9. (New) A combination eyeglass and auxiliary lens attachments as defined in claim 3, wherein the eyeglass frame is also wired for Internet connectivity.

10. (New) A combination eyeglass and auxiliary lens attachments as defined in claim 3, wherein the eyeglass frame is also wired for an electrical circuit connected to an LCD panel with a backlight and display component or a mirror capable of at least one of reflecting and splitting images generated on the LCD panel and directing them into the eye of the user.

11. (New) A combination eyeglass and auxiliary lens attachments as defined in claim 1, wherein the magnetic mounts are incrementally adjustable to accommodate the user's specific optical requirements.

12. (New) A combination eyeglass and auxiliary lens attachments as defined in claim 1, wherein the magnetic mounts provide an automatic "default" setting to which the combination eyeglass and auxiliary lens attachments are drawn when placed in proximity to each other in the approximate position in which they were contemplated to attach.